irst Hit

Previous Doc

Next Doc

Go to Doc#

Generate Collection

Print

L1: Entry 1 of 2

File: EPAB

Nov 19, 1992

UB-NO: EP000513738A2

OCUMENT-IDENTIFIER: EP 513738 A2

ITLE: Serum-free medium for mammalian cells cultivation.

UBN-DATE: November 19, 1992

NVENTOR-INFORMATION:

NAME

COCH, STEFAN DR

DE

DE

DE

DE

BEHRENDT, ULRICH DR DE FRANZE, REINHARD DR DE

LORENZ, THOMAS DR
SZPERALSKI, BERTHOLD DR
DE

ASSIGNEE-INFORMATION:

NAME COUNTRY

BOEHRINGER MANNHEIM GMBH DE

APPL-NO: EP92107997 APPL-DATE: May 12, 1992

PRIORITY-DATA: DE04115722A (May 14, 1991)

NT-CL (IPC): C12N 5/00; C12N 5/06

UR-CL (EPC): C12N005/00

ABSTRACT:

CHG DATE=19990617 STATUS=0> A serum-free medium for the cultivation of mammalian cells without protein material of animal origin contains, besides conventional ingredients in place of anima nsulin and transferring recombinant insulin from prokaryotes and a water-soluble iron compound medium of this type is used according to the invention for the cultivation of mammalian cell

especially CHO cells.

Previous Doc

Next Doc

Go to Doc#

<u>irst Hi</u>t Previous Doc Go to Doc# Next Doc

End of Result Set

Generate Collection Print

File: DWPI Nov 19, 1992 L1: Entry 2 of 2

ERWENT-ACC-NO: 1992-383642

ERWENT-WEEK: 199915

OPYRIGHT 2004 DERWENT INFORMATION LTD

ITLE: Serum-free medium for cultivation of mammalian cells - contains recombinant insulin fro rokaryonts and water soluble iron cpd. instead of animal insulin and transferrin

Search ALL

000

C12N005/00

NVENTOR: BEHRENDT, U; FRANZE, R ; KOCH, S ; LORENZ, T ; SZPERALSKI, B

ATENT-ASSIGNEE: BOEHRINGER MANNHEIM GMBH (BOEF), ROCHE DIAGNOSTICS GMBH (HOFF)

Search Selected

RIORITY-DATA: 1991DE-4115722 (May 14, 1991)

ATE	NT-FAMILY:				
	PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
	EP 513738 A2	November 19, 1992	G	007	C12N005/00
	DE 4115722 A	November 19, 1992		005	C12N005/06
	JP 05252942 A	October 5, 1993		006	C12N005/06

ESIGNATED-STATES: AT BE CH DE DK ES FR GB GR IT LI LU NL PT SE

May 5, 1993

ITED-DOCUMENTS:No-SR.Pub; 4.Jnl.Ref ; EP 248656 ; EP 307247 ; EP 343635 ; EP 481791 ; WO 8800

## PPLICATION-DATA:

EP 513738 A3

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
P 513738A2	May 12, 1992	1992EP-0107997	
DE 4115722A	May 14, 1991	1991DE-4115722	
IP 05252942A	May 11, 1992	1992JP-0117275	
P 513738A3	May 12, 1992	1992EP-0107997	

NT-CL (IPC): C07K 15/16; C12N 5/00; C12N 5/06; C12N 5/10; C12N 5/16; C12P 21/00; C12P 21/00

BSTRACTED-PUB-NO: EP 513738A

ASIC-ABSTRACT:

A) Serum-free medium for the cultivation of mammalian cells contains no protein material of nimal origin and contains recombinant insulin from prokaryotes and a water-soluble Fe. cpd. nstead of animal insulin as well as transferrin and conventional additives.

ref. medium contains 0.1-20 mg/l insulin and 10 power(-5) - 10 power(-2) mol/l of the wateroluble iron cpd. which is Fe citrate, Fe sulphate, Fe chloride and/or potassium exacyanoferrate. Medium also contains 3-700 mg/l aminoacids, 0.001-50 mg/l vitamins, 0.3-10 g onosaccharides, 0.1-10000 mg/l inorganic salts, 0.001-0.1 mg/l trace elements, 0.1-50 mg/l ucleosides, 0.001-10 mg/l fatty acids, 0.01-1 mg/l biotin, 0.1-20 mg/l hydrocortisone, 0.1-10g/l vitamin B12, 0.01-1 mg/l putrescin, 10-500 mg/l sodium pyruvate and opt. a pH indicator a ntibiotics dissolved in water. The medium can also contain  $0.1 ext{--}20$  g/l PVA and/or  $_{ ext{-}}$ 

ethylcellulose.

B) The gene technological prodn. of erythropoietin comprises cultivating CHO cell contg. the ene for erythropoietin in the medium and then insulating erythropoietin from the culture medi

SE/ADVANTAGE - For the cultivation of mammalian cells, esp. CHO cells, and for the gene echnological prodn. of erythropoietin, by allowing trans for med CHO cells contg. the gene for rythropoietin to grow in the medium. Conditions for cultivation in the new medium are very clothose used with serum. As the medium contains no protein of animal origin, there is no dang for viral contamination.

BSTRACTED-PUB-NO: EP 513738A

QUIVALENT-ABSTRACTS:

HOSEN-DRAWING: Dwg.0/0

ERWENT-CLASS: B04 D16

PI-CODES: B04-B02D2; B04-B04A3; B04-B04D2; B05-A03A; B11-A; D05-H01;

Previous Doc Next Doc Go to Doc#